

GLOSSY



**PAVAGADHI**  
CERAMIC

1200x  
1800mm

FLEXIBLE BODY

ITALIAN TECHNOLOGY

NEW ARRIVAL

PAVAGADHI  
CERAMIC



Design: CREMA NOVA

Size: 1200x1800mm

Thickness: 9mm

Finish: GLOSSY

Type: RANDOM





FLEXIBLE BODY

ITALIAN TECHNOLOGY



PAVAGADHI  
CERAMIC

NEW ARRIVAL



Design: ILLUSION BEIGE

Size: 1200x1800mm

Thickness: 9mm

Finish: GLOSSY

Type: END LESS

FLEXIBLE BODY

ITALIAN TECHNOLOGY

PAVAGADHI  
CERAMIC



Design: MARCUS BEIGE

Size: 1200x1800mm

Thickness: 9mm

Finish: GLOSSY

Type: RANDOM






FLEXIBLE BODY

ITALIAN TECHNOLOGY



PAVAGADHI  
CERAMIC



Design: VINTAGE ALMOND

Size: 1200x1800mm

Thickness: 9mm

Finish: GLOSSY

Type: RANDOM

FLEXIBLE BODY

ITALIAN TECHNOLOGY

PAVAGADHI  
CERAMIC



Design: DYNA GOLD

Size: 1200x1800mm

Thickness: 9mm

Finish: GLOSSY

Type: END LESS





FLEXIBLE BODY

ITALIAN TECHNOLOGY

PAVAGADHI  
CERAMIC



Design: VINTAGE SMOKE

Size: 1200x1800mm

Thickness: 9mm


Finish: GLOSSY

Type: RANDOM

FLEXIBLE BODY

ITALIAN TECHNOLOGY

**PAVAGADHI**  
CERAMIC



Design: BRESCIA ROCK

Size: 1200x1800mm

Thickness: 9mm

Finish: GLOSSY

Type: RANDOM





**PAVAGADHI**  
CERAMIC



Design: GRAFITO BROWN

Size: 1200x1800mm

Thickness: 9mm

Finish: GLOSSY

Type: RANDOM

FLEXIBLE BODY

ITALIAN TECHNOLOGY

**PAVAGADHI**  
CERAMIC



Design: SISILLIA BEIGE

Size: 1200x1800mm

Thickness: 9mm

Finish: GLOSSY

Type: END LESS





FLEXIBLE BODY

ITALIAN TECHNOLOGY

PAVAGADHI  
CERAMIC



Design: VICTORIA BEIGE

Size: 1200x1800mm

Thickness: 9mm

Finish: GLOSSY

Type: RANDOM

FLEXIBLE BODY

ITALIAN TECHNOLOGY

**PAVAGADHI**  
CERAMIC



Design: NATURAL BRECCIA

Size: 1200x1800mm

Thickness: 9mm

Finish: GLOSSY

Type: RANDOM






FLEXIBLE BODY

ITALIAN TECHNOLOGY

PAVAGADHI  
CERAMIC



Design: NATURAL BRECCIA A&B

Size: 1200x1800mm

Thickness: 9mm

Finish: GLOSSY

Type: BOOK MATCH

FLEXIBLE BODY

ITALIAN TECHNOLOGY

**PAVAGADHI**  
CERAMIC



Design: ELEGANT BEIGE

Size: 1200x1800mm

Thickness: 9mm

Finish: GLOSSY

Type: RANDOM





FLEXIBLE BODY

ITALIAN TECHNOLOGY

**PAVAGADHI**  
CERAMIC



Design: ANTIQUE BEIGE

Size: 1200x1800mm

Thickness: 9mm

Finish: GLOSSY

Type: RANDOM

FLEXIBLE BODY

ITALIAN TECHNOLOGY

**PAVAGADHI**  
CERAMIC



Design: BOTTOCHINO EARTH



Size: 1200x1800mm

Thickness: 9mm

Finish: GLOSSY

Type: RANDOM





Design: KASHMIR MARFIL

Size: 1200x1800mm

Thickness: 9mm

Finish: GLOSSY

Type: RANDOM

FLEXIBLE BODY

ITALIAN TECHNOLOGY

**PAVAGADHI**  
CERAMIC



Design: AMARON BROWN

Size: 1200x1800mm

Thickness: 9mm

Finish: GLOSSY

Type: RANDOM





Design: SANMARTIN CREMA

Size: 1200x1800mm

Thickness: 9mm

Finish: GLOSSY

Type: RANDOM

FLEXIBLE BODY

ITALIAN TECHNOLOGY

**PAVAGADHI**  
CERAMIC



Design: ESPERDA BROWN

Size: 1200x1800mm

Thickness: 9mm

Finish: GLOSSY

Type: RANDOM






FLEXIBLE BODY

ITALIAN TECHNOLOGY

PAVAGADHI  
CERAMIC



Design: BOTTOCHINO PREMIA

Size: 1200x1800mm

Thickness: 9mm

Finish: GLOSSY

Type: RANDOM

FLEXIBLE BODY

ITALIAN TECHNOLOGY

**PAVAGADHI**  
CERAMIC



Design: ROSSO PACETO

Size: 1200x1800mm

Thickness: 9mm

Finish: GLOSSY

Type: RANDOM





Design: DYNA CLASSICO

Size: 1200x1800mm

Thickness: 9mm

Finish: GLOSSY

Type: RANDOM



Design: ROYAL CREMA

Size: 1200x1800mm

Thickness: 9mm

Finish: GLOSSY

Type: RANDOM





FLEXIBLE BODY

ITALIAN TECHNOLOGY

PAVAGADHI  
CERAMIC



Design: PERLINO CREMA

Size: 1200x1800mm

Thickness: 9mm

Finish: GLOSSY

Type: RANDOM

FLEXIBLE BODY

ITALIAN TECHNOLOGY

PAVAGADHI  
CERAMIC



Design: SONATA BROWN A&B

Size: 1200x1800mm

Thickness: 9mm

Finish: GLOSSY

Type: BOOK MATCH





FLEXIBLE BODY

ITALIAN TECHNOLOGY

PAVAGADHI  
CERAMIC



Design: SONATA BROWN

Size: 1200x1800mm

Thickness: 9mm

Finish: GLOSSY

Type: RANDOM

FLEXIBLE BODY

ITALIAN TECHNOLOGY

**PAVAGADHI**  
CERAMIC



Design: SMART CREMA

Size: 1200x1800mm

Thickness: 9mm

Finish: GLOSSY

Type: RANDOM






FLEXIBLE BODY

ITALIAN TECHNOLOGY

PAVAGADHI  
CERAMIC



Design: CARRARA

Size: 1200x1800mm

Thickness: 9mm


Finish: GLOSSY

Type: RANDOM

FLEXIBLE BODY

ITALIAN TECHNOLOGY

**PAVAGADHI**  
CERAMIC



Design: CALACATTA LUX

Size: 1200x1800mm

Thickness: 9mm

Finish: GLOSSY

Type: RANDOM






FLEXIBLE BODY

ITALIAN TECHNOLOGY

**PAVAGADHI**  
CERAMIC



Design: DIAMOND GOLD

Size: 1200x1800mm

Thickness: 9mm


Finish: GLOSSY

Type: RANDOM

FLEXIBLE BODY

ITALIAN TECHNOLOGY

**PAVAGADHI**  
CERAMIC



Design: STATUARIO VOLKAS

Size: 1200x1800mm

Thickness: 9mm

Finish: GLOSSY

Type: RANDOM





FLEXIBLE BODY

ITALIAN TECHNOLOGY

PAVAGADHI  
CERAMIC



Design: ITALIAN AGERA GREY

Size: 1200x1800mm

Thickness: 9mm

Finish: GLOSSY

Type: RANDOM

FLEXIBLE BODY

ITALIAN TECHNOLOGY

**PAVAGADHI**  
CERAMIC



Design: WHITE DELICATO

Size: 1200x1800mm

Thickness: 9mm

Finish: GLOSSY

Type: RANDOM





FLEXIBLE BODY

ITALIAN TECHNOLOGY

**PAVAGADHI**  
CERAMIC



Design: MARCUS GREY

Size: 1200x1800mm

Thickness: 9mm

Finish: GLOSSY

Type: RANDOM

FLEXIBLE BODY

ITALIAN TECHNOLOGY

**PAVAGADHI**  
CERAMIC



Design: EVA GREY

Size: 1200x1800mm

Thickness: 9mm

Finish: GLOSSY

Type: RANDOM





FLEXIBLE BODY

ITALIAN TECHNOLOGY

**PAVAGADHI**  
CERAMIC



Design: ONYX BIANCO

Size: 1200x1800mm

Thickness: 9mm

Finish: GLOSSY

Type: RANDOM

FLEXIBLE BODY

ITALIAN TECHNOLOGY

PAVAGADHI  
CERAMIC



Design: ILLUSION GREY

Size: 1200x1800mm

Thickness: 9mm

Finish: GLOSSY

Type: END LESS





FLEXIBLE BODY

ITALIAN TECHNOLOGY

PAVAGADHI  
CERAMIC



Design: MARVEL GREY

Size: 1200x1800mm

Thickness: 9mm

Finish: GLOSSY

Type: RANDOM

FLEXIBLE BODY

ITALIAN TECHNOLOGY

PAVAGADHI  
CERAMIC



Design: ROYAL SWISS

Size: 1200x1800mm

Thickness: 9mm

Finish: GLOSSY


Type: RANDOM



FLEXIBLE BODY

ITALIAN TECHNOLOGY

PAVAGADHI  
CERAMIC



Design: PIETRA NERO

Size: 1200x1800mm

Thickness: 9mm

Finish: GLOSSY

Type: RANDOM

FLEXIBLE BODY

ITALIAN TECHNOLOGY

**PAVAGADHI**  
CERAMIC



Design: DYNA GREY

Size: 1200x1800mm

Thickness: 9mm

Finish: GLOSSY

Type: END LESS





Design: ELEGANT GREY

Size: 1200x1800mm

Thickness: 9mm

Finish: GLOSSY

Type: RANDOM

FLEXIBLE BODY

ITALIAN TECHNOLOGY

**PAVAGADHI**  
CERAMIC



Design: ESPERDA GREY

Size: 1200x1800mm

Thickness: 9mm

Finish: GLOSSY

Type: RANDOM





FLEXIBLE BODY

ITALIAN TECHNOLOGY

**PAVAGADHI**  
CERAMIC



Design: BOSCO GREY

Size: 1200x1800mm

Thickness: 9mm

Finish: GLOSSY

Type: RANDOM

FLEXIBLE BODY

ITALIAN TECHNOLOGY

**PAVAGADHI**  
CERAMIC



Design: PIETRA GREY

Size: 1200x1800mm

Thickness: 9mm

Finish: GLOSSY

Type: RANDOM






FLEXIBLE BODY

ITALIAN TECHNOLOGY

**PAVAGADHI**  
CERAMIC



Design: GOLDEN WAVE GREY

Size: 1200x1800mm

Thickness: 9mm

Finish: GLOSSY

Type: RANDOM

FLEXIBLE BODY

ITALIAN TECHNOLOGY

**PAVAGADHI**  
CERAMIC



Design: PIETRA SILVER

Size: 1200x1800mm

Thickness: 9mm

Finish: GLOSSY

Type: RANDOM





FLEXIBLE BODY

ITALIAN TECHNOLOGY

PAVAGADHI  
CERAMIC



Design: COCO GREY

Size: 1200x1800mm

Thickness: 9mm



Finish: GLOSSY

Type: RANDOM


## MANUALLY TRANSPORTING

Only for 1/4" Slabs

### MOVING A SLAB





### RAISING A SLAB ON TO A BENCH



✗ INCORRECT

✓ CORRECT

### SLAB FIXING IN THE WALL



✗ INCORRECT

✓ CORRECT

## WORKING WITH THE VARIOUS VERSIONS OF

### CUTTING WITH DIAMOND DISCS



Our products can be cut using diamond discs fitted onto the hand-held electrical grinding machine. The speed of Disc rotation must be high (>10000 RPM) and should have a low feed rate (< 1 m/min). It may be required to cool the disc with water. Recommended discs are the thin types generally used for cutting porcelain stoneware. The surface should be kept on a FLAT base while cutting without any gap underneath.

### DRILLING



You can use cutting discs fitted to battery-operated screwdrivers or angle grinders, electrical drills as an alternative.

### INTERNAL CUT / L-SHAPED CUT





To get internal and L-shaped corners & to reduce the risk of breakage, round off the vertex of the internal corner using bits with a radius of at least 5mm. Then cut with diamond discs, be cautious to stop moving the cutting tool forward. To drill and cut using diamond discs, follow the instructions provided above.



When using these tools:

- Cool the point being drilled with water
- Don't put too much pressure and bear in mind the resistance of the type of laminated stoneware you are working on
- If you are using tungsten bits, start drilling at a low speed
- If you are using drills or screwdrivers, do not select hammering mode

### EDGE-FINISHING



## INSTRUCTIONS FOR MANUAL INSTALLATION



### IMPORTANT

All cutout corners must have a minimum radius of more than 1/4" when the kitchen design allows as it makes the countertop firmer.



✓ CORRECT



✗ INCORRECT



✗ INCORRECT



✗ INCORRECT

## CLEANING & MAINTENANCE

Our products are non porous (due to their high quality raw materials, stringent production parameters and state of the art technology), hence any dust or deposited waste cannot penetrate the surface.

For most cases only a damp cloth is sufficient for cleaning.

Regular cleaning highlights the aesthetic features of the surface and gives it exceptional shine.

For highly aggressive cleaning caused by some common food and substances follow the table below.

TYPE OF STAIN	CHEMICAL PRODUCT	EXAMPLE
Grease	Alkaline - Solvent	Detergent
Oil	Solvent	Ammonia, Backing Soda
Ink	Oxidant - Solvent	Alcohol, Liquid Bleach, Nail Paint Remover
Rust	Acid	Hydrochloric Acid, Vinegar, Red Harpic
Lime	Acid	Descaling Reagent, Hydro Chloric Acid
Cement	Acid	Hydro Chloric Acid
Wine	Alkaline	Ammonia, Liquid Bleach
Coffee	Alkaline - Solvent	Ammonia, Liquid Bleach
Rubber	Solvent	Alcohol, Thinner
Plaster	Acid	Hydro Chloric Acid
Candle Wax	Solvent	Alcohol, Thinner
Iodine	Oxidant	Liquid Bleach
Blood	Oxidant	Liquid Bleach
Ice Cream	Alkaline	Liquid Bleach

Note: It is recommended that any kind of stain needs to get clean immediately / as soon as possible.

## TECHNICAL SPECIFICATIONS

CHARACTERISTIC	STANDARD AS PER ISO-13006/2018 En14411 gr.blb	VALUE	TEST METHOD
Regulatory Properties			
Deviation in Length & Width	±0.5%	±0.2%	ISO 10545-2
Deviation in Thickness	±5%	±5%	ISO 10545-2
Straightness of Sides	±0.5%	±0.2%	ISO 10545-2
Rectangularity	±0.5%	±0.2%	ISO 10545-2
Surface Flatness	±0.5%	±0.3%	ISO 10545-2
Colour Difference	ΔE<1.00	ΔE<0.30	ISO 10545-16
Glossiness	As per Mfg.	As Per Mfg.	GlossMeter
Structural Properties			
Water Absorption	≤0.5 %	≤0.3 %	ISO 10545-3
Apparent Density	As Per Mfg.	>2.20 g/cc	ISO 10545-3
Massive Mechanical Properties			
Modulus of Rupture	Min.35N/mm <sup>2</sup>	Min.40N/mm <sup>2</sup>	ISO 10545-4
Breaking Strength	Min. 1300 N	Min. 2000 N	ISO 10545-4
Impact Resistance	As per Mfg.	Min. 0.55	ISO 10545-4
Surface Mechanical Properties			
Surface Abrasion Resistance	As per Mfg.	Min. class 3	ISO 10545-7
Moh's Hardness	As per Mfg.	Min. class 4	BS EN 15771
Thermo Hygrometric Properties			
Frost Resistance	As Per Mfg.	Frost Proof	ISO 10545-12
Thermal Shock Resistance	Min. 10 Cycle	Min. 10 Cycle	ISO 10545-9
Moisture Expansion	Max. 0.6mm/m	Max. 0.02mm/m	ISO 10545-10
Thermal Expansion	Max. 9.0 x 10 <sup>-6</sup>	Max. 6.0x10 <sup>-6</sup>	ISO 10545-8
Chemical Properties			
Chemical Resistance	As Per Mfg.	No Damage	ISO 10545-13
Stain Resistance	Resistant	Resistant	ISO 10545-14
Safety Properties			
Slip Resistance	As per Mfg.	N. A.	DIN 51130
Fire Resistance	As per Mfg.	Fire Proof	N. A.

## PACKING DETAILS

Dimension ( mm )	No. of PC's/Box	Square Feet	Weight ( Approx )
1200x1800mm	2 Pcs.	46.5 Sq. Feet	93 Kg.

# **Pavagadhi Ceramic**

**Jay Ambe Ceramic, 8-A National Highway, Morbi - 363642**

e-mail : [pavagadhiceramic@gmail.com](mailto:pavagadhiceramic@gmail.com)

[www.pavagadhiceramic.com](http://www.pavagadhiceramic.com)

**Mo. +91 99092 81254 / +91 93281 33207**