

HI - GLOSS


PAVAGADHI
CERAMIC



800X
1600MM

M A R B L E +

NEW ARRIVAL

**AQUA LIMO**Available size :
800x1600mmThickness
9mmFinish
Hi-GlossDesign
Random (4 Phase)

PAVAGADHI
CERAMIC

MARBLE +

NEW ARRIVAL



BLUE LIMO

Available size :
800x1600mm

Thickness
9mm

Finish
Hi-Gloss

Design
Random (4 Phase)




FLEXIBLE BODY

ITALIAN TECHNOLOGY

PAVAGADHI
CERAMIC

MARBLE +

NEW ARRIVAL



SOFT ART BLUE

Available size :
800x1600mm

Finish
Hi-Gloss


Thickness
9mm

Design
End Less (1 Phase)



M A R B L E +

NEW ARRIVAL

**ROYAL ONYX GREY**Available size :
800x1600mmThickness
9mmFinish
Hi-GlossDesign
Random (3 Phase)

PAVAGADHI
CERAMIC

MARBLE +

NEW ARRIVAL



SAHARA BLACK

Available size :
800x1600mm

Finish
Hi-Gloss

Thickness
9mm

Design
End Less (3 Phase)



FLEXIBLE BODY

ITALIAN TECHNOLOGY

PAVAGADHI
CERAMIC

MARBLE +

NEW ARRIVAL



PIETRA NERO

Available size:
800x1600mm

Finish
Hi-Gloss

Thickness
9mm

Design
End Less (4 Phase)



FLEXIBLE BODY

ITALIAN TECHNOLOGY

PAVAGADHI
CERAMIC

MARBLE +



PORTORO BLACK

Available size :
800x1600mm

Finish
Hi-Gloss

Thickness
9mm

Design
Random (4 Phase)



PAVAGADHI
CERAMIC

MARBLE +



BLACK MARQUINA

Available size :
800x1600mm

Thickness
9mm


Finish
Hi-Gloss

Design
Random (4 Phase)



PAVAGADHI
CERAMIC

MARBLE +



LAVENTINA BLACK

Available size :
800x1600mm

Thickness
9mm


Finish
Hi-Gloss

Design
Random (4 Phase)



PAVAGADHI
CERAMIC

MARBLE +



ESTADA

Available size :
800x1600mm

Thickness
9mm

Finish
Hi-Gloss

Design
Random (4 Phase)



FLEXIBLE BODY

ITALIAN TECHNOLOGY

PAVAGADHI
CERAMIC

MARBLE +



SAINT LAURENT

Available size :
800x1600mm

Thickness
9mm

Finish
Hi-Gloss

Design
Random (4 Phase)



MARBLE +



EMERALD JADE

Available size :
800x1600mmThickness
9mmFinish
Hi-GlossDesign
End Less (4 Phase)

FLEXIBLE BODY

ITALIAN TECHNOLOGY

PAVAGADHI
CERAMIC

MARBLE +

NEW ARRIVAL



FOREST BROWN

Available size :
800x1600mm

Finish
Hi-Gloss

Thickness
9mm

Design
Random (4 Phase)




FLEXIBLE BODY

ITALIAN TECHNOLOGY

PAVAGADHI
CERAMIC

MARBLE +

NEW ARRIVAL



NATURAL BROWN

Available size :
800x1600mm

Finish
Hi-Gloss

Thickness
9mm

Design
Random (3 Phase)



PAVAGADHI
CERAMIC

MARBLE +

NEW ARRIVAL



SAMELESS ROCK

Available size :
800x1600mm

Finish
Hi-Gloss

Thickness
9mm

Design
Random (4 Phase)




FLEXIBLE BODY
ORANGE GREEN

ITALIAN TECHNOLOGY
RED

PAVAGADHI
CERAMIC

MARBLE +

NEW ARRIVAL



CRYSTAL BROWN

Available size :
800x1600mm

Finish
Hi-Gloss

Thickness
9mm

Design
Random (3 Phase)



M A R B L E +

**MARMOR BLACK**Available size :
800x1600mmThickness
9mmFinish
Hi-GlossDesign
End Less (4 Phase)

FLEXIBLE BODY

ITALIAN TECHNOLOGY

PAVAGADHI
CERAMIC

MARBLE +



EMPERADOR DARK

Available size :
800x1600mm

Thickness
9mm

Finish
Hi-Gloss

Design
Random (4 Phase)



M A R B L E +

**ONYX BROWN**Available size :
800x1600mmThickness
9mmFinish
Hi-GlossDesign
Random (5 Phase)

M A R B L E +

**ARMANI BRONZE**Available size :
800x1600mmFinish
Hi-GlossThickness
9mmDesign
Random (4 Phase)

FLEXIBLE BODY

ITALIAN TECHNOLOGY

PAVAGADHI
CERAMIC

MARBLE +



ARMANI BROWN

Available size :
800x1600mm

Thickness
9mm

Finish
Hi-Gloss

Design
Random (4 Phase)



PAVAGADHI
CERAMIC

MARBLE +

NEW ARRIVAL



ROYAL ONYX AZUL

Available size :
800x1600mm

Thickness
9mm

Finish
Hi-Gloss

Design
Random (3 Phase)



PAVAGADHI
CERAMIC

MARBLE +



BLUE BOLIVIA

Available size :
800x1600mm

Thickness
9mm

Finish
Hi-Gloss

Design
Random (4 Phase)



PAVAGADHI
CERAMIC

MARBLE +



MARMOR AZUL

Available size :
800x1600mm

Finish
Hi-Gloss


Thickness
9mm

Design
ENDLESS (4 Phase)



PAVAGADHI
CERAMIC

MARBLE +



VOLGA BLUE

Available size :
800x1600mm

Thickness
9mm

Finish
Hi-Gloss

Design
Random (4 Phase)



PAVAGADHI
CERAMIC

Be3

NEW ARRIVAL



AMAZON GREEN

Available size :
800x1600mm


Finish
Hi-Gloss

Thickness
9mm

Design
Random (5 Phase)



PAVAGADHI
CERAMIC



FOREST GREEN

Available size :
800x1600mm

Finish
Hi-Gloss

Thickness
9mm

Design
Random (4 Phase)



PAVAGADHI
CERAMIC



RED ROCK

Available size :
800x1600mm

Thickness
9mm

Finish
Hi-Gloss


Design
Random (3 Phase)



PAVAGADHI
CERAMIC

Be3

NEW ARRIVAL



RED ONYX

Available size :
800x1600mm


Thickness
9mm

Finish
Hi-Gloss

Design
Random (4 Phase)



PAVAGADHI
CERAMIC



TRIANA YELLOW

Available size :
800x1600mm

Finish
Hi-Gloss

Thickness
9mm

Design
Random (3 Phase)



PAVAGADHI
CERAMIC



AMETHYST STONE BLUE

Available size :
800x1600mm

Thickness
9mm



Finish
Hi-Gloss

Design
Random (4 Phase)




MANUALLY TRANSPORTING IMMODERATE

MOVING A IMMODERATE TILE





RAISING A IMMODERATE TILE ONTO A BENCH



✗ INCORRECT

✓ CORRECT

HANDLING IMMODERATE TILE FOR WALL





✗ INCORRECT

✓ CORRECT

WORKING WITH THE VARIOUS VERSIONS OF IMMODERATE

CUTTING WITH DIAMOND DISCS



Our products can be cut using diamond discs fitted onto the hand-held electrical grinding machine. The speed of Disc rotation must be high (>10000 RPM) and should have a low feed rate (< 1 m/min). It may be required to cool the disc with water. Recommended discs are the thin types generally used for cutting porcelain stoneware. The surface should be kept on a FLAT base while cutting without any gap underneath.

DRILLING



You can use cutting discs fitted to battery-operated screwdrivers or angle grinders, electrical drills as an alternative.

INTERNAL CUT / L-SHAPED CUT





To get internal and L-shaped corners & to reduce the risk of breakage, round off the vertex of the internal corner using bits with a radius of at least 5mm. Then cut with diamond discs, be cautious to stop moving the cutting tool forward. To drill and cut using diamond discs, follow the instructions provided above.

When using these tools:

- Cool the point being drilled with water
- Don't put too much pressure and bear in mind the resistance of the type of laminated stoneware you are working on
- If you are using tungsten bits, start drilling at a low speed
- If you are using drills or screwdrivers, do not select hammering mode

EDGE-FINISHING



CLEANING & MAINTENANCE

Our products are non porous (due to their high quality raw materials, stringent production parameters and state of the art technology), hence any dust or deposited waste cannot penetrate the surface.

For most cases only a damp cloth is sufficient for cleaning.

Regular cleaning highlights the aesthetic features of the surface and gives it exceptional shine.

For highly aggressive cleaning caused by some common food and substances follow the table below.

TYPE OF STAIN	CHEMICAL PRODUCT	EXAMPLE
Grease	Alkaline - Solvent	Detergent
Oil	Solvent	Ammonia, Backing Soda
Ink	Oxidant - Solvent	Alcohol, Liquid Bleach, Nail Paint Remover
Rust	Acid	Hydrochloric Acid, Vinegar, Red Harpic
Lime	Acid	Descaling Reagent, Hydro Chloric Acid
Cement	Acid	Hydro Chloric Acid
Wine	Alkaline	Ammonia, Liquid Bleach
Coffee	Alkaline - Solvent	Ammonia, Liquid Bleach
Rubber	Solvent	Alcohol, Thinner
Plaster	Acid	Hydro Chloric Acid
Candle Wax	Solvent	Alcohol, Thinner
Iodine	Oxidant	Liquid Bleach
Blood	Oxidant	Liquid Bleach
Ice Cream	Alkaline	Liquid Bleach

Note: It is recommended that any kind of stain needs to get clean immediately / as soon as possible.

PACKING DETAILS

DIMENSION (mm)	SLAB	SQ. METER	SQ. FEET	WEIGHT (APPROX)
800x1600	2	2.56	27.55	52 Kgs.

TECHNICAL SPECIFICATION

CHARACTERISTIC	STANDARD AS PER ISO-13006/2018 En14411 gr.blb	VALUE	TEST METHOD
Regulatory Properties			
Deviation in Length & Width	±0.5%	±0.2%	ISO 10545-2
Deviation in Thickness	±5%	±5%	ISO 10545-2
Straightness of Sides	±0.5%	±0.2%	ISO 10545-2
Rectangularity	±0.5%	±0.2%	ISO 10545-2
Surface Flatness	±0.5%	±0.3%	ISO 10545-2
Colour Difference	ΔE<1.00	ΔE<0.30	ISO 10545-16
Glossiness	As per Mfg.	>90%	Gloss Meter 60°
Structural Properties			
Water Absorption	≤0.5 %	≤0.3 %	ISO 10545-3
Apparent Density	As Per Mfg.	>2.20 g/cc	ISO 10545-3
Massive Mechanical Properties			
Modulus of Rupture	Min.35N/mm ²	Min.40N/mm ²	ISO 10545-4
Breaking Strength	Min. 1300 N	Min. 2000 N	ISO 10545-4
Impact Resistance	As per Mfg.	Min. 0.55	ISO 10545-4
Surface Mechanical Properties			
Surface Abrasion Resistance	As per Mfg.	Min. class 3	ISO 10545-7
Moh's Hardness	As per Mfg.	Min. class 4	BS EN 15771
Thermo Hygrometric Properties			
Frost Resistance	As Per Mfg.	Frost Proof	ISO 10545-12
Thermal Shock Resistance	Min. 10 Cycle	Min. 10 Cycle	ISO 10545-9
Moisture Expansion	Max. 0.6mm/m	Max. 0.02mm/m	ISO 10545-10
Thermal Expansion	Max. 9.0 x 10 ⁻⁶	Max. 6.0x10 ⁻⁶	ISO 10545-8
Chemical Properties			
Chemical Resistance	As Per Mfg.	No Damage	ISO 10545-13
Stain Resistance	Resistant	Resistant	ISO 10545-14
Safety Properties			
Slip Resistance	As per Mfg.	N. A.	DIN 51130
Fire Resistance	As per Mfg.	Fire Proof	N. A.

Pavagadhi Ceramic

Jay Ambe Ceramic, 8-A National Highway, Morbi – 363642

e-mail : pavagadhiceramic@gmail.com

www.pavagadhiceramic.com

Mo. +91 99092 81254 / +91 93281 33207